


Sec. 8

NUTS

Prevailing Torque Locknuts



Grade 8 • Cad and Waxed

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
12697	1/4"-20 USS	7/16"	50
12705	1/4"-28 SAE	7/16"	50
12698	5/16"-18 USS	1/2"	50
12706	5/16"-24 SAE	1/2"	50
12699	3/8"-16 USS	9/16"	50
12707	3/8"-24 SAE	9/16"	50
12700	7/16"-14 USS	11/16"	50
12708	7/16"-20 SAE	11/16"	50
12701	1/2"-13 USS	3/4"	25
12709	1/2"-20 SAE	3/4"	25
12710	9/16"-18 SAE	7/8"	25
12703	5/8"-11 USS	15/16"	10
12711	5/8"-18 SAE	15/16"	10
12704	3/4"-10 USS	1-1/8"	10

Hexagon Machine Screw Nuts



Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
Zinc Plated Steel			
727	6-32	5/16"	100
728	8-32	11/32"	100
729	10-32	3/8"	100
730	10-24	3/8"	100
731	12-24	7/16"	100
733	1/4"-20	7/16"	100



Reversible Lock Nuts
Grade 2
Zinc Plated

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
11740	1/4"-20	7/16"	100
11741	5/16"-18	1/2"	100
11742	3/8"-16	9/16"	50
11743	1/2"-13	3/4"	25
11744	5/8"-11	15/16"	25

Hexagon Machine Screw Nuts Double Chamfered - Plain Brass



Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
3868	10-24 USS	3/8"	100

Slotted Hex Nuts

Zinc Finish



Auveco Part No.	Thread Size	Hex Width	Slot Width	Unit Pkg.
12722	1/2"-20	3/4"	5/32"-3/16"	50
12723	5/8"-18	15/16"	3/16"-15/64"	25

Nylon Insert Lock Nuts



Grade 2
Zinc Plated

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
9535	8-32	11/32"	100
9536	10-24 USS	3/8"	100
9537	10-32 SAE	3/8"	100
9538	12-24	7/16"	100
9539	1/4"-20 USS	7/16"	100
9540	1/4"-28 SAE	7/16"	100
9541	5/16"-18 USS	1/2"	50
9542	5/16"-24 SAE	1/2"	50
9543	3/8"-16 USS	9/16"	50
9544	3/8"-24 SAE	9/16"	50
9545	7/16"-14 USS	5/8"	50
9546	7/16"-20 SAE	5/8"	50
9547	1/2"-13 USS	3/4"	50
9548	1/2"-20 SAE	3/4"	50
15863	5/8"-11 USS	15/16"	25
15864	5/8"-18 SAE	15/16"	25
15865	3/4"-10 USS	1-1/8"	25

NUTS

Finished USS (Coarse) & SAE (Fine) Hexagon Nuts Zinc Plated



Auveco Part No.	Thread Size	Hex Width	Unit Pkg.	Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
3541	1/4"-20 USS	7/16"	100	3549	1/2"-13 USS	3/4"	100
3542	1/4"-28 SAE	7/16"	100	3550	1/2"-20 SAE	3/4"	100
3543	5/16"-18 USS	1/2"	100	8659	9/16"-12 USS	7/8"	50
3544	5/16"-24 SAE	1/2"	100	8660	9/16"-18 SAE	7/8"	50
3545	3/8"-16 USS	9/16"	100	8661	5/8"-11 USS	15/16"	50
3546	3/8"-24 SAE	9/16"	100	8662	5/8"-18 SAE	15/16"	50
3547	7/16"-14 USS	11/16"	100	8663	3/4"-10 USS	1-1/8"	50
3548	7/16"-20 SAE	11/16"	100				

Grade 5 Finished USS (Coarse) & SAE (Fine) Hex Nuts



Fully Certified For
S.A.E. J995 Standard
Proof Load: 120,000 PSI
C32 Max. Rockwell Hardness
Zinc Plated

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.	Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
15586	1/4"-20 USS	7/16"	100	15590	1/2"-13 USS	3/4"	50
15595	1/4"-28 SAE	7/16"	100	15599	1/2"-20 SAE	3/4"	50
15587	5/16"-18 USS	1/2"	100	16981	9/16"-12 USS	7/8"	25
15596	5/16"-24 SAE	1/2"	100	15591	5/8"-11 USS	15/16"	25
15588	3/8"-16 USS	9/16"	100	15600	5/8"-18 SAE	15/16"	25
15597	3/8"-24 SAE	9/16"	100	15592	3/4"-10 USS	1-1/8"	25
15589	7/16"-14 USS	11/16"	50	15601	3/4"-16 SAE	1-1/8"	25
15598	7/16"-20 SAE	11/16"	50	15594	1"-8 USS	1-15/32"	10

Sec. 8

Finished USS (Coarse) & SAE (Fine) Hexagon Nuts

Zinc & Yellow Plated
High Alloy
Grade 8



Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
9300	1/4"-20 USS	7/16"	100
9307	1/4"-28 SAE	7/16"	100
9301	5/16"-18 USS	1/2"	100
9308	5/16"-24 SAE	1/2"	100
9302	3/8"-16 USS	9/16"	100
9309	3/8"-24 SAE	9/16"	100
9303	7/16"-14 USS	11/16"	50
9310	7/16"-20 SAE	11/16"	50
9304	1/2"-13 USS	3/4"	50
9311	1/2"-20 SAE	3/4"	50
9305	5/8"-11 USS	15/16"	25
9312	5/8"-18 SAE	15/16"	25
9306	3/4"-10 USS	1-1/8"	25

NUTS

Grade 8 Finished USS (Coarse) & SAE (Fine) Hex Nuts



Fully Certified
Proof Load: 150,000 PSI
C24-C32 Max. Rockwell Hardness For 1/4 thru 5/8
C26-C34 Max. Rockwell Hardness For 3/4 thru 1
Zinc & Yellow Plated

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
15640	1/4"-20 USS	7/16"	100
15649	1/4"-28 SAE	7/16"	100
15641	5/16"-18 USS	1/2"	100
15650	5/16"-24 SAE	1/2"	100
15642	3/8"-16 USS	9/16"	100
15651	3/8"-24 SAE	9/16"	100
15643	7/16"-14 USS	11/16"	50
15652	7/16"-20 SAE	11/16"	50
15644	1/2"-13 USS	3/4"	50
15653	1/2"-20 SAE	3/4"	50
16983	9/16"-12 USS	7/8"	25
15645	5/8"-11 USS	15/16"	25
15654	5/8"-18 SAE	15/16"	25
15646	3/4"-10 USS	1-1/8"	15

Refer to Assortments 1020, 1021, 1030 & 1031 in the green pages.



Display Boards

Are Great Selling Tools.
Use Them To Help Boost
Your Sales.

Refer To The Color Pages
At The Front Of The
Catalog.

Do You Want Your Customers To
Know You Use The Best Body
Hardware & Specialty Fasteners
Available?

Promotional Products And Apparel
Bearing The  Logo Promote
Your Identity As A Professional.

NUTS



Brass Cylinder Head And Manifold Stud Nuts

Auveco Part No. USS	Thread Size	Hex Width	Height	Unit Pkg.
5317	5/16"-18	1/2"	17/64"	50



Keps® Lock Washer & Nut Zinc Plated

Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
3492	6-32	5/16"	100
3493	8-32	11/32"	100
3494	10-24	3/8"	100
3495	10-32	3/8"	100
3496	1/4"-20	7/16"	100
3497	1/4"-28	7/16"	100
3498	5/16"-18	1/2"	100
3499	5/16"-24	1/2"	100
3500	3/8"-16	9/16"	100
3501	3/8"-24	9/16"	100



Ziptwist Wing Nut

Auveco Part No.	Thread Size	O.D.	Height	Finish	Unit Pkg.
18531	6mm	5/8"	7/32"	Black	50



Washer Base Wing Nuts Zinc Alloy

Auveco Part No.	Thread Size	Wing Spread	Overall Height	Washer O.D.	Unit Pkg.
10036	1/4"-20	1"	1/2"	3/4"	50



Square Nuts

Auveco Part No.	Thread Size	Width	Finish	Unit Pkg.
3249	3/16"-24	3/8"	Bright Zinc	100
3250	1/4"-20	7/16"	Bright Zinc	100



Cage Nuts Phosphate Plated

Auveco Part No.	Thread Size	Fits Sq. Hole	Panel Range	Unit Pkg.
3144	1/4"-20	3/8"	.064-.105"	50
10773	1/4"-20	3/8"	.064-.105"	25
3798	5/16"-18	1/2"	.023-.063"	50



Spin Lock Nuts With Serrations



Auveco Part No.	Thread Size	Flange O.D.	Hex Width	Unit Pkg.
-----------------	-------------	-------------	-----------	-----------

Standard Flange - Zinc Plated

14878	8-32"	15/32"	11/32"	100	
14873	10-24"	USS	1/2"	3/8"	100
14874	1/4"-20	USS	19/32"	7/16"	100
14875	5/16"-18	USS	11/16"	1/2"	100
14876	3/8"-16	USS	3/4"	9/16"	100
14877	7/16"-14	USS	15/16"	11/16"	50
17084	1/2"-13	USS	1"	3/4"	25

Large Flange - Black Phosphate

2769	1/4"-20	USS	11/16"	7/16"	100
5167	5/16"-18	USS	13/16"	1/2"	100
5596	3/8"-16	USS	7/8"	9/16"	100



Wing Nuts Nickel Plated

Auveco Part No.	Size	Unit Pkg.
3741	1/4"-20	100
3743	3/8"-16	50



Self-Locking Wing Nuts Bright Zinc Chromate

Auveco Part No.	Size	Unit Pkg.
9846	1/4"-20	100

Sec. 8

NUTS

Free Spinning Washer Nuts



Auveco Part No.	Thread Size	Washer O.D.	Hex Size	Height	Plating	O.E.M. No.	Unit Pkg
16770	#10-24	3/8"	5/16"	11/64"	Zinc & Yellow	383255-S36	100
16771	#10-32	3/8"	5/16"	11/64"	Zinc & Yellow		100
16772	1/4"-20	1/2"	7/16"	3/16"	Zinc		50
15345	1/4"-20	5/8"	7/16"	9/32"	Zinc & Yellow	3866846, 385400	50
15347	1/4"-20	7/8"	7/16"	5/16"	Phosphate	45334, 6023204, 6025004	50
15350	5/16"-18	3/4"	1/2"	3/8"	Phosphate	6025007	50
15351	3/8"-16	7/8"	9/16"	7/16"	Phosphate	376785	25

For metric sizes of free spinning washer nuts, refer to page 64.

Pushnut Bolt Retainers For Threaded Fasteners



Auveco Part No.	Bolt Dia.	O.D.	Finish	Unit Pkg.
16851	9/64"	(#6) 11/32"	Zinc	100
10085	5/32"	(#8) 3/8"	Phos	100
16852	3/16"	(#10) 7/16"	Phos	100
10086	1/4"	1/2"	Zinc	100
10087	5/16"	5/8"	Zinc	100
9297	3/8"	25/32"	Zinc	100
9298	7/16"	27/32"	Zinc	100
9299	1/2"	15/16"	Zinc	100

For an Assortment of Pushnut Bolt Retainers see Fit-Kit No. 6164

Washer Lock Nuts Zinc Plated



Auveco Part No.	Thread Size	Hex Width	O.D.	Unit Pkg.
2554	6-32	5/16"	7/16"	100
2555	8-32	11/32"	15/32"	100
2556	10-32	3/8"	1/2"	100
2557	10-24	3/8"	1/2"	100
2558	10-24	3/8"	3/4"	100
2560	12-24	3/8"	3/4"	100
2561	1/4"-20	7/16"	19/32"	100
2562	1/4"-20	7/16"	13/16"	100
10764	5/16"-18	1/2"	13/16"	100

For an assortment of Washer Lock Nuts, see Fix-Kit 6043

Flat Push-On Retainers For Non-Threaded Fasteners














Auveco Part No.	Stud Size	O.D.	Plating	Unit Pkg.
8861	1/16"	3/16"	Phos	100
8862	3/32"	3/16"	Phos	100
8863	1/8"	3/8"	Zinc	100
8864	5/32"	7/16"	Zinc	100
8865	3/16"	7/16"	Zinc	100
8867	.240"	17/32"	Zinc	100
8868	1/4"	17/32"	Zinc	100
8869	5/16"	5/8"	Zinc	100
10374	3/8"	3/4"	Zinc	100
10375	1/2"	1"	Zinc	100
21080	5/8"	1"	Zinc	100


Hex Pal Nuts Plated



Auveco Part No.	Thread Size	Hex Width	Unit Pkg.
3975	3/8"-24	9/16"	100
8858	1/2"-20	3/4"	100

THREAD CUTTING NUTS

 <p>3400 Zinc</p> <p>1/8" Stud Size 1/4" Hex</p> <p>UNIT PACKAGE: 200</p>	 <p>2895 Zinc</p> <p>1/8" Stud Size 5/16" Hex 17/32" Washer Diameter</p> <p>UNIT PACKAGE: 100</p>	 <p>3403 Zinc</p> <p>1/8" Stud Size 5/16" Hex 7/16" Washer Diameter</p> <p>UNIT PACKAGE: 200</p>	 <p>3405 Zinc</p> <p>1/4" Stud Size 7/16" Hex 11/16" Washer Diameter</p> <p>UNIT PACKAGE: 200</p>
 <p>3401 Zinc</p> <p>1/8" Stud Size 5/16" Hex</p> <p>UNIT PACKAGE: 200</p>	 <p>2896 Zinc</p> <p>3/16" Stud Size 3/8" Hex 5/8" Washer Diameter</p> <p>UNIT PACKAGE: 100</p>	 <p>3404 Zinc</p> <p>3/16" Stud Size 3/8" Hex 1/2" Washer Diameter</p> <p>UNIT PACKAGE: 200</p>	 <p>10733 Zinc</p> <p>5/16" Stud Size 1/2" Hex 7/8" Washer Diameter</p> <p>UNIT PACKAGE: 100</p>
 <p>3402 Zinc</p> <p>3/16" Stud Size 1/2" Hex</p> <p>UNIT PACKAGE: 200</p>	 <p>2897 Zinc</p> <p>1/4" Stud Size 7/16" Hex 19/32" Washer Diameter</p> <p>UNIT PACKAGE: 100</p>	 <p>8855 Zinc</p> <p>5/32" Stud Size 3/8" Hex 9/16" Washer Diameter</p> <p>UNIT PACKAGE: 100</p>	



Acorn Cap Nuts Nickel Plated

Auveco Part No.	Thread Size	Hex Width	Height	Unit Pkg.
11179	8-32	5/16"	9/32"	100
11180	10-24	3/8"	11/32"	100
11181	10-32	3/8"	11/32"	100
11182	1/4"-20	7/16"	3/8"	50
11183	5/16"-18	9/16"	7/16"	50
11184	3/8"-16	5/8"	1/2"	25

For Nylon Coated Metric Acorn Nuts, refer to page 65.


Do You Want Your Customers To Know You Use The Best Body Hardware & Specialty Fasteners Available?

Promotional Products And Apparel Bearing The




Logo Promote Your Identity As A Professional.

WHEEL STUDS & BOLTS



Type #1



Type #2

Plated • Grade 8 Steel

UNIT PACKAGE: 10

Auveco No.	Type	Diameter (A)	Length (B)	Knurl Dia. (C)	Shoulder Length (D)	Application
14225	1	1/2"-20	1.070"/1.100"	N/A	N/A	Universal (3/4" Hex)
14227	2	1/2"-20	1.510"/1.540"	.618"/.628"	.310"/.330"	GM 76-55; Int. 80-67
14228	2	7/16"-20	1.380"/1.410"	.556"/.566"	.300"/.320"	GM 51-On
14231	2	1/2"-20	1.615"/1.635"	.618"/.628"	.440"/.460"	Ford 62-On
14235	2	1/2"-20	1.620"/1.650"	.618"/.628"	.630"/.650"	Dodge Tk 82-69; Ford 72-65; GMC 70-60
14237	2	1/2"-20	1.435"/1.465"	.556"/.566"	.420"/.440"	Ford 75-73
14241	2	7/16"-20	1.470"/1.500"	.460"/.470"	.333"/.343"	Chrysler 76-64; GM 84-62; Jeep 82-74
14243	2	1/2"-20	1.665"/1.695"	.618"/.628"	.720"/.750"	AMC 76-75; Chrysler 86-74
14244	2	1/2"-20	1.720"/1.750"	.615"/.625"	.445"/.460"	Ford 75-On

WHEEL NUTS



Type 1 (Outer)



Type 2 (Inner)



Type 3
(Stainless Steel Cap)



Type 4
(Stainless Steel Cap)



Type 5





Type 6
(Stainless Steel Cap)

Part No.	Unit Pkg.	Type	Size	Height	Hex	O.E.M. No.
8742	50	1	1/2"-20	9/16"	3/4"	Chrys: 2409826
8744	50	1	1/2"-20	5/8"	13/16"	GM: 413945, Ford: C0AZ-1012A
8746	50	1	7/16"-20	9/16"	3/4"	GM: 516637, Chrys: 2072728
11715	5	3	1/2"-20	1-1/16"	13/16"	GM: 414187
12520	5	2	3/4"-16 L.H. (Inner) 1-1/8"-16 L.H. (Outer)	2-7/32"	13/16" Sq.	Budd: 10709
12521	5	1	1-1/8"-16 L.H.	7/8"	1-1/2"	Budd: 37892
12522	5	2	3/4"-16 (Inner) R.H. 1-1/8"-16 (Outer) R.H.	2-7/32"	13/16" Sq.	Budd: 10708
12523	5	1	1-1/8"-16	7/8"	1-1/2"	Budd: 37891
12524	5	1	3/4"-16 L.H.	7/8"	1-1/2"	Budd: 37889
12525	5	1	3/4"-16	7/8"	1-1/2"	Budd: 37888
12617	5	5	12mm-1.5	23mm	19mm	Chrys: 6500092
12675	25	1	12mm-1.5	14mm	19mm	GM: 9590477
12695	5	4	12mm-1.5	34mm	19mm	GM: 10018202
12715	10	1	12mm-1.5	14mm	19mm	Chrys: 6500526
14253	10	1	12mm-1.25	16mm	21mm	Nissan: 40224-21001
17353	5	6	12mm-1.5	30mm	19mm	Chry: 6502738
18163	5	4	1/2"-20	1-11/32"	3/4"	Chrys: J4006956
19168	10	6	7/16"-20	1-3/32"	3/4"	GM: 414188, 9591855

Sec. 8

TRUCK WHEEL HARDWARE




1-1/8" Inner Cap Nuts


Zinc Plated

3/4"-16 Inner Thread; 1-1/8"-16 Outer Thread

Auveco Thread			Dimensions							Unit
Part No.	Type	Description	A	B	C	D	E	F	G	Pkg.
12520	LH	For Steel Wheels	1-7/16"	2-7/32"	17/32"	1-3/16"	13/16"	1-13/32"	5
12522	RH	For Steel Wheels	1-7/16"	2-7/32"	17/32"	1-3/16"	13/16"	1-13/32"	5
15004	LH	For Steel/Alum. Combo	1-15/16"	2-5/8"	19/32"	1-7/32"	13/16"	1-13/32"	5
15009	RH	For Alum. Wheels; GR 8	1-21/32"	2-21/32"	5/8"	5/16"	1-1/8"	13/16"	1-13/32"	5
15010	LH	For Alum. Wheels; Gr 8	1-21/32"	2-21/32"	5/8"	5/16"	1-1/8"	13/16"	1-13/32"	5



1-1/8" Outer Cap Nut



3/4" Outer Cap Nut

Single (3/4") Mounting
Front & Rear
Zinc Plated

Auveco Part No.	Zinc Plated Desc.	Unit Pkg.
12521	LH.....	5
12523	RH.....	5

Auveco Part No.	Desc.	Unit Pkg.
12524	LH.....	5
12525	RH.....	5

Flange Wheel Nuts



Auveco Part No.	Thread	Hex Size	Flange O.D.	Unit Pkg.
15011	5/8-18(RH)....	1-1/8"	1-5/8"	10

Rim Clamp Nuts




Zinc Plated

Auveco Part No.	Thread	Hex Size	Unit Pkg.
15015	3/4"-10.....	1-1/4"	25

TRUCK WHEEL HARDWARE

Rim Studs Grade 8 • Zinc Plated



Auveco Part No.	A Dia. & Length	B Dia. & Length	C Overall Length	Unit Pkg.
15016	5/8"-11 USS x 1-5/8"	5/8"-11 USS x 13/16"	2-3/4"	10
15017	3/4"-10 USS x 1-13/16"	3/4"-10 USS x 7/8"	3"	25
15018	3/4"-10 USS x 1-7/8"	3/4"-10 USS x 1"	3-1/8"	25

Truck Wheel Hardware Interchange

The numbers listed in this interchange are cross referenced to the closest equivalent Auveco part. In some instances the parts are not identically the same; however, the Auveco part is designed to service the same application.

Part No.	Auveco Part No.	Part No.	Auveco Part No.	Part No.	Auveco Part No.	Part No.	Auveco Part No.	Part No.	Auveco Part No.
ALCOA		BUDD		DAYTON WALTHER		5706	15018	W-11	12522
5988-L	15010	10708	12522	08-853501	12523	5735-L	15004	W-12	12520
5988-R	15009	35337	15004	08-853502	12521	5735-R	15003	W-13	12523
BATCO		37888	12525	08-853701	12522	5988-L	15010	W-14	12521
13-3005-R	12522	37889	12524	08-853702	12520	5988-R	15009	W-15	12525
13-3008-L	15004	37891	12523	EUCLID		GMC		W-16	12524
13-3012-L	12521	37892	12521	4956-A	15017	2201406	12522	W-159	15004
13-3013-L	12524	95188	15011	4958	15016	2201407	12520	W-246	15018
13-3026-L	15010	DAYTON		4963	15015	279670L	12521	W-486	15009
13-3026-R	15009	5715	15017	5549-L	12520	279670R	12523	W-487	15010
13-6002	15016	5716	15015	5549-R	12522	NUTURN			
13-6003	15017	6654	15016	5552-L	12521	W-5	15016		
13-6005	15018	8411	15018	5552-R	12523	W-6	15017		
13-8004	15015			5652-L	12524	W-8	15015		
				5652-R	12525				